

The closest you'll get to the perfect garage door









# **Welcome** to the **SeceuroGlide** Range of Garage Doors

Combining great design and exceptional build quality, the SeceuroGlide range of garage doors are designed and manufactured in the UK and offer attractive effortless protection for your home.

We understand that buying a new garage door is a significant investment for your home. The SeceuroGlide range of garage doors aim to ensure you make the most of your investment by offering a garage door that will fit all of your requirements without compromise.

Investing in a SeceuroGlide garage door means you are making the best possible investment in the future of your families property both in terms of appearance and security.

### All SeceuroGlide doors are:

- ✓ Made To Measure Perfect fit means no compromise on weather protection, insulation or security
- ✓ CE Marked Investing in a CE marked product means you are purchasing a product that is fully compliant with all European directives
- ✓ Available with Remote Control For the easiest of openings all of our range have a remote control version
- ✓ Finishes To Suit You and Your Home All doors in the range have a variety of finishes to ensure they become a real asset to your home
- ✓ Peace of Mind Warranties Using only the finest components to produce the SeceuroGlide means a complete peace of mind warranty

# **Choosing** the Right Garage Door for your Home



#### Pages 4-15

Available in a wide range of low maintenance colours, including textured woodgrain finishes to exactly match the latest generation of UPVC windows and doors.

- Helps to increase energy efficiency and reduce heating costs through insulated slats and a curtain that finishes higher than competitor designs
- The space saving design ensures there is no intrusion into overhead storage space within the garage and without the kick-out of traditional 'up and over' doors you can park safely inches from the door
- Police and insurance approved version available
- Manually operated version available



#### Pages 16-19

- Available in a variety of designs and finishes including smooth Golden Oak & Rosewood which have the appearance of authentic hardwood yet unlike timber the surface won't warp, crack or rot
- Headroom requirements are minimal with as little as 110 mm needed
- Ensures you get the most from your garage with 40 mm thick insulated steel panels
- Transforms your garage into a bright usable space with optional windows available in a range of colours and designs



#### Pages 20-22

- Creates a style statement with the attractive vertical pattern
- Peace of mind with emergency unlocking from the inside as standard
- Partial opening provides a convenient and energy saving solution for bicycle and pedestrian access
- Near silent operation
- Manually operated version available
- Suitable for garage openings up to 10 m wide







### **Engineered** from the Inside Out...

See Page 12 & 18 for more information.







### The original insulated roller garage door since 1997.

Since its launch as the first insulated roller garage door, SeceuroGlide has maintained its position as market leader through continuous development and innovation.

Manufactured from tough twin-walled aluminium slats with an insulating core, the curtain is held in place with high performance webbing which gives extremely quiet operation and is unaffected by extremes of temperature. A strong extruded top slat and our patented comb locking mechanism effectively resist attack by would-be intruders.


SeceuroGlide is available in a choice of fourteen paint or wood-effect finishes and over forty textured woodgrain finishes, allowing you to match your door to existing paintwork or double-glazing for a coordinated look to your home.

Each automatic door is supplied complete with a single channel SeceuroSmart receiver with built-in courtesy light, two key fob transmitters, a bottom slat safety sensor and an internal manual override. An optional alarm is available. The SeceuroGlide is also available as a manual door.















The first garage door tested and approved to police and insurance standards.

Security is a very serious consideration for all home owners. According to British Crime Survey figures released by the Home Office, there were an estimated 744,000 domestic burglaries carried out in England and Wales in 2008/2009.

Not only is your garage often one of the easiest ways to break into your home, but it usually houses high value items that are easy for an intruder to steal and sell.

For security without compromise, look no further than the SeceuroGlide Excel insulated roller garage door. A product for the security conscious home-owner, SeceuroGlide Excel adds the highest available security specification to the benefits of the original SeceuroGlide to create the most advanced roller door on the market.

The unique reinforced design of SeceuroGlide Excel has enabled it to become the first garage door of any kind to successfully complete independent testing recognised on a national level. A typical garage contains many high value items, including tools that can be used to gain access to the remainder of your property. If proven protection for your car and home is a priority, there is no better choice.

SeceuroGlide Excel roller doors are available in a choice of fourteen paint or wood-effect finishes and over forty textured woodgrain finishes . Each door comes supplied with a single channel SeceuroSmart receiver with built-in courtesy light, two key fob transmitters, a bottom slat safety sensor and an internal manual override. An optional alarm is also available.



# SeceuroGlide Excel White Plain Colour Finish

### **Excel** Security

### Tested and Approved

SeceuroGlide Excel is the first garage door to offer Police and Insurance approval.



Tested to the rigorous LPS 1175 burglary resistance standard, the door is certified to resist timed manual attacks that mimic common burglary methods using commercially available tools such as knives, levers and screwdrivers. Operated by the Loss Prevention Certification Board (LPCB), the UK's leading independent certification body, the standard is recognised and endorsed by 16 organisations, including the Association of British Insurers and the Association of Chief Police Officers.

SWS UK is audited annually for the quality and consistency of manufacturing and factory systems.

For more information on the scheme refer to www.brecertification.co.uk



### **H** Physical Security

SeceuroGlide Excel is fitted with an innovative locking mechanism that automatically secures the door every time it closes. Upon closing, the aluminium slats firmly interlock, resisting attempts to break through or lift the door by force. To prevent the curtain from being forced out of its guide rails, the Excel also features unique bottom slat anchors.

In addition, steel end plates and the curtain webbing assembly system also contribute to the security rating.



### Secured by Design

SeceuroGlide Excel has been awarded the prestigious Secured by Design Police Preferred Specification status.



Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications.

Only products which have been tested and meet the required technical standard can be awarded the Police Preferred Specification. Research has indicated that Secured by Design usage can reduce burglary and car crime by up to 50% and criminal damage by 25%.


For more information on this initiative refer to www.securedbydesign.com

Notes on the SeceuroGlide Excel: All SeceuroGlide Excel doors are supplied with 90 mm guide rails as standard. The low level external override option is not available for SeceuroGlide Excel. In cases where the garage door is the only means of entry to the garage a battery backup will be required. SeceuroGlide Excel doors must always be internally fitted, with the entire coil above the opening



### See for yourself!

Watch SeceuroGlide Excel being put to the test at www.sws.co.uk/qr/excel-videos





### Space saving design

Owners of garages with limited headroom can now enjoy the luxuries of a remote controlled garage door with SeceuroGlide Compact's smaller slat profile. Just 8" (205 mm) of headroom is required.



### The limited headroom roller garage door.

The SeceuroGlide Compact system has been developed especially for garages with severely limited space above the opening.

The Compact utilises an insulated aluminium slat that is significantly narrower than those featured on the SeceuroGlide. This allows a tighter, smaller coil requiring just 8" (205 mm) of headroom, giving owners of even the smallest garages the option of a high quality remote controlled door. Extremely versatile, a SeceuroGlide Compact door can be fitted in-front of or behind the garage opening, or even (height permitting) within the garage opening itself.

An extensive range of sizes also means openings of up to 2880 mm wide can be accommodated, whilst a neat 90° facia conceals the coil back. There is also a 45° canopy option to completely enclose the coil.

Compact doors are available in nine paint finishes and a choice of over forty woodgrain finishes that combine low maintenance with durability. Each one comes supplied with a single channel SeceuroSmart receiver with built-in courtesy light , two key fob transmitters, a bottom slat safety sensor and an internal manual override. Available with optional alarm.

Notes on the SeceuroGlide Compact: The SeceuroGlide 'vision slat' option is NOT available on SeceuroGlide Compact doors. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due to prolonged contact with the locking system.



### The manually operated roller garage door.

Developed to the same high standards and build quality as the SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is not required or is not available.

The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation.

The door is easily opened or closed from inside or outside the garage using handles located in the middle or bottom of the curtain.


The vertical opening means you can make maximum use of your drive and garage space – parking safely just inches form the door. A choice of eleven low maintenance colours are available helping you to match your door to existing paintwork.

Notes on the SeceuroGlide Manual: SeceuroGlide Manual can be supplied with vision slats. SeceuroGlide Manual can only be internally fitted. Textured woodgrain finishes are not available on SeceuroGlide Manual.











### The versatile roller garage door.

The entry level SeceuroGlide LT has been created as the perfect solution for those wanting to invest in the look and feel of the original SeceuroGlide Roller Garage Door but without a need for all of the built-in noise reduction features and high security benefits offered by the standard SeceuroGlide product.

Combining space saving vertical operation with the benefits of an insulated profile and the convenience of electrical operation the SeceuroGlide LT provides a made to measure solution to give lasting value to your property.



### **Choice** of Finishes

### Plain colour finishes.



\*The Rosewood, Mahogany and Golden Oak textured woodgrain finish options are subject to a surcharge. In addition, please note that (as the special finish appears on one side only) textured woodgrain finishes are also unsuitable for external mounting.

**⊘★**\*❖◆ Anthracite\*\* (RAL 7016)

♦★\*♦♦ Metallic Silver\*\* (RAL 9006)

### Textured woodgrain finishes.





With over 40 other wood effect finishes to choose from, the SeceuroGlide range of roller garage doors has a finish to match any home.\*



### Important Notes on Colour

The printing process does not allow exact reproduction of the paint colours. If you are unsure of your colour choice please ask your supplier for a sample. Colour references quoted are the nearest standard RAL or BS references to the colours used. They will not be an exact match and are intended as a guide only.

Doors ordered in the Medium Oak finish will be supplied with a brown bottom slat.

Coloured guide rails are supplied as standard, however they may not match the slat colour. The manufacturing process for the slat profile results in a textured finish, whilst all other coloured items (guides, bottom slats, optional facias and vision panels) are supplied in a satin finish so we cannot guarantee an exact match.

Light Grey, Metallic Silver and Anthracite doors can be supplied with colour matched guide rails subject to a surcharge. (�)

<sup>\*\*</sup>Additional lead times may apply, please refer to our website for more information.

### **Options** and Accessories

### Vision slats

(SeceuroGlide and SeceuroGlide Manual only)

Vision slats allow natural light into your garage. Available with or without glazing. On textured woodgrain doors vision slats will be supplied in a brown finish.

### Remote control keypad

(SeceuroGlide and SeceuroGlide Compact only)

The remote control key pad provides you with a secure, alternative option for controlling your door. Suitable for external installation, this wireless controller offers convenience without compromising security.

### Battery backup

(Available on ALL electric models)

A battery backup offers added peace of mind and convenience. All doors are supplied with a manual override as standard but by choosing a battery backup you can continue to operate your door with the remote control in the event of a power failure. For SeceuroGlide Excel, if the garage door is the only means of entry to the garage a battery backup will be required.

### Low level external override kit

(SeceuroGlide and SeceuroGlide Compact only)

The low level external override kit enables the door to be opened manually in emergencies from both the inside and outside of the garage. If the garage door is the only means of entry you will require either the battery backup or the low level external override kit.

### Full box


(Available on ALL electric models)

A full box completely conceals the roll. This option allows SeceuroGlide and SeceuroGlide Compact doors to be fitted outside the garage. Boxes are supplied in white or brown as standard. They can also be supplied in any of the plain colour finishes for an additional surcharge.

### Important notes

Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time, particularly on SeceuroGlide Compact. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.





### Virtually maintenance free

Careful use of your door is the best way to avoid maintenance or remedial work.

SeceuroGlide doors are low maintenance. The curtain needs wiping with a damp cloth and a mild detergent to remove any excessive dirt or grime to maintain its prime appearance and to reduce the risk of the surface being damaged. This must be done monthly in a salt air environment.


The motor and curtain have been designed to be lubrication free so there is seldom need to oil or grease any parts. In the event of your door's curtain being scratched it is advisable to touch-up the damaged area with paint to prevent any possible corrosion. If required, 25 ml pots of touch-up paint can be obtained via your distributor.

SWS UK | SeceuroGlide

### **Delve** Deeper



Although SeceuroGlide Roller Garage Doors may look visually similar to other garage doors from the outside only SeceuroGlide is **Engineered from the Inside Out**...



### SeceuroGlide Choice

SeceuroGlide can be ordered with either a half, full or no box. SeceuroGlide Compact comes with either a half or full box.



### **Somfy Motor**

Acknowledged as the world leaders in roller door power units, Somfy's powerful tubular drive motor is used in all electric SeceuroGlide garage doors and is covered by a comprehensive five year manufacturer's warranty.



### B Don't Be Kept in The Dark

Making your garage a safer place when parking at night SeceuroGlide utilises the tried and tested SeceuroSmart control unit, which combines a courtesy light with both remote and push control functions.



### 4 Secure Locking

SeceuroGlide offers unrivalled security with its patented self-adjusting locking mechanism. As SeceuroGlide closes, a high tensile bolt engages with the lock comb to secure the door. Meaning no other garage door is more secure.



### 5 Space Saving

Tighter, space-saving coiling is created through unique helical collars whilst specially flanged rollers limit any lateral movement of the curtain. Leaving more space in your garage door for you.



### 6 Remote Control

With its smart rolling code technology, SeceuroSmart receivers use key fob transmitters which enable you to operate your door without leaving your car.



### Maximum Weather Protection

SeceuroGlide is engineered to block cold draughts and keep your garage warm and usable with guide rails that are lined with a dense brush strip and a shaped rubber seal on the bottom slat.



### 8 Never Be Locked Out

Every Seceuro Glide comes supplied with a simple manual override crank, ensuring you will never be accidentally locked in your garage – even in a power cut. Also available are external low-level override and battery backup options.



### 9 Peace of Mind

A special Vacation Mode activated by your hand transmitter prevents an intruder from operating the door from the inside using the receiver unit's control panel.



### Original Thinking SeceuroGlide Roller

### **1** Unique Webbing System

SeceuroGlide features unique high performance webbing to firmly hold the slats in place.

#### This means:

- Enhanced Security
- Minimal wear and tear on the door
- Significantly quieter operation



### Something the state of the second sec

SeceuroGlide doors feature an extruded aluminium top slat which provides extra strength over ordinary doors.
SeceuroGlide's cleverly designed locking mechanism also allows the curtains to finish slightly higher than competitor designs, providing a better seal against wintry weather at the top of the door.

### Proven Durability

SeceuroGlide roller garage doors have been subjected to rigorous cyclic durability tests to ensure that they are durable and reliable.

### **CE** Fully CE Marked

SeceuroGlide are fully compliant with all European approach directives and product safety standards and are CE marked to demonstrate their compliance.


SeceuroGlide doors have been independently wind load tested to a minimum of Class 2 – equivalent to 59 mph storm force winds. Larger SeceuroGlide doors are fitted with a reliable anti-fallback device to protect you and your family against uncontrolled or unbalanced movement in the event of a component failure.

Learn more about the importance of conformity and CE marking on Page 24.

### SeceuroGlide Technical



How to measure for your garage door.



### **Fitting** Requirements

### Headroom requirements

- SeceuroGlide and SeceuroGlide Excel require a minimum of 300 mm headroom for doors up to 2500 mm in opening height and 350 mm headroom for door up to 3500 mm opening height
- SeceuroGlide Manual requires a minimum headroom of 300 mm
- SeceuroGlide Compact requires just 205 mm headroom for doors with an opening height up to 2150 mm

### **External doors**

In applications where the door is installed externally the remote control system must be installed either inside the garage or in a waterproof box (not included).

The bottom slat transmitter must always be installed on the internal face of the door and is not suitable for applications where it will be exposed to weather or excessive moisture due to condensation.

#### SeceuroGlide Excel restrictions

SeceuroGlide Excel is not available as supply only as it must be installed by a trained installer. SeceuroGlide Excel can not be installed externally. The door must be installed so that the entire coil is above the opening.

The low level external override option is not available for SeceuroGlide Excel. In cases where the garage door is the only means of entry to the garage a battery backup will be required. All SeceuroGlide Excel doors are supplied with 90 mm guide rails as standard.

#### Extreme weather conditions

High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.

# **SeceuroGlide** Product Comparison and Options

LPS 1175 / Secured by Design   Accreditation   CE marked	SeceuroGlide Roller Garage Doors	SeceuroGlide Roller	SeceuroGlide Excel	SeceuroGlide Compact	SeceuroGlide Manual	SeceuroGlide LT
Construction Products Directive / Machinery Directive compliant			•			
Machinery Directive compliant         300 mm/350 mm         300 mm/350 mm         300 mm         4800 mm         4800 mm         4800 mm         2500 mm         2600 mm         2500 mm         2600 mm         26	CE marked	•	•	•	•	•
Max. over guide width         5400 mm         5200 mm         3000 mm         3000 mm         4800 mm           Max. opening height         3500 mm         3500 mm         2150 mm         2500 mm           Guide rails         Up to 4600 mm = 75 mm guides Over 4600 mm = 90 mm guides         90 mm         60 mm         75 mm           Slat height         78.5 mm         78.5 mm         55 mm         78.5 mm         78.5 mm           Comb locking mechanism         ***         ***         ***         ***           Autolock locking system         ***         ***         ***         ***           Internal installation         ***         ***         ***         ***           External installation         ***         ***         ***         ***           Webbed curtain         ***         ***         ***         ***         ***           Endlocked curtain         ***         ***         ***         ***         ***         ***           Half box (90 facia)         ***         ***         ***         ***         ***           Fedulox (45 facia)         ***         ***         ***         ***           SeceuroSmart receiver with courtesy light and Safety Edge         ***         *** <t< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>		•	•	•	•	•
Max. opening height         3500 mm         3500 mm         2150 mm         2500 mm           Guide rails         Up to 4600 mm = 75 mm guides Over 4600 mm = 90 mm guides         90 mm         60 mm         75 mm         75 mm           Slat height         78.5 mm         78.5 mm         55 mm         78.5 mm         78.5 mm           Comb locking system         •         •         •         •           Internal installation         •         •         •         •           External installation         •         •         •         •           Webbed curtain         •         •         •         •         •           Half box (90 facia)         *         *         *         *         *           Half box (90 facia)         *         *         *         *         *           Full box (45 facia)         *         *         *         *         *         *           SeceuroSmart receiver with courtesy light and Safety Edge         •         •         •         •         •         •           Vacation security mode         •         •         •         •         •         •         •           External manual override         *         * </td <td>Headroom required</td> <td>300 mm/350 mm</td> <td>300 mm/350 mm</td> <td>205 mm</td> <td>300 mm</td> <td>300 mm</td>	Headroom required	300 mm/350 mm	300 mm/350 mm	205 mm	300 mm	300 mm
Guide rails       Up to 4600 mm = 75 mm guides Over 4600 mm = 90 mm guides       90 mm       60 mm       75 mm       75 mm         Slat height       78.5 mm       78.5 mm       55 mm       78.5 mm       78.5 mm         Comb locking mechanism       ●       ●       ●       ●         Autolock locking system       ●       ●       ●       ●         Internal installation       ●       ●       ●       ●       ●         External installation       ●       ●       ●       ●       ●         Webbed curtain       ●       ●       ●       ●       ●         Half box (90 facia)       ★       ★       ★       ★         Full box (45 facia)       ★       ★       ★       ★         SeceuroSmart receiver with courtesy light and Safety Edge       ●       ●       ●       ●         Vacation security mode       ●       ●       ●       ●       ●         Internal manual override       ★       ★       ★       ★         Vision slats       ★       ★       ★       ★         Battery backup       ★       ★       ★       ★       ★         Remote control keypad       ★       ★	Max. over guide width	5400 mm	5200 mm	3000 mm	3000 mm	4800 mm
75 mm guides   90 mm   60 mm   75 mm   75 mm   75 mm	Max. opening height	3500 mm	3500 mm	2150 mm		2500 mm
Comb locking mechanism  Autolock locking system  Internal installation  External installation  * * * * * *  Full box (90 facia)  SeceuroSmart receiver with courtesy light and Safety Edge  Vacation security mode  Internal manual override  External manual override  External manual override  External manual override  External manual override  * * * * * * *  External manual override  External manual override  * * * * * *  External manual override  External manual override  * * * * *  * *  Safety photo cell  * * * * *  * *  * *  * *  * *  * *	Guide rails	75 mm guides Over 4600 mm =	90 mm	60 mm	75 mm	75 mm
Autolock locking system Internal installation  External installation  * * * * * * *  Webbed curtain  Endlocked curtain  Endlocked curtain  Half box (90 facia)  * * * * * *  Full box (45 facia)  SeceuroSmart receiver with courtesy light and Safety Edge  Vacation security mode Internal manual override  External manual override  External manual override  * * * * *  External manual override  External manual override  * * * *  Vision slats  Battery backup  * * * *  Remote control keypad  * *  Key switch operation  * * * *  Safety photo cell  * * * *  * *  * *  * *  * *  * *  *	Slat height	78.5 mm	78.5 mm	55 mm	78.5 mm	78.5 mm
Internal installation	Comb locking mechanism	•	•			
External installation    Webbed curtain    Endlocked curtain    Half box (90 facia)    Full box (45 facia)    SeceuroSmart receiver with courtesy light and Safety Edge    Vacation security mode    Internal manual override    External manual override    External manual override    External manual override    Wision slats    Battery backup    Remote control keypad    Key switch operation    Safety photo cell     *  *  *  *  *  *  *  *  *  *  *  *	Autolock locking system			•		•
Webbed curtain  Endlocked curtain  Half box (90 facia)  * * * * * * * *  Full box (45 facia)  SeceuroSmart receiver with courtesy light and Safety Edge  Vacation security mode  Internal manual override  External manual override  * * * * * * *  External manual override  * * * * *  Famote control keypad  Key switch operation  * * * * *  Safety photo cell  * * * * *  * * *  * *  * *  * *  *	Internal installation	•	•	•	•	•
Endlocked curtain  Half box (90 facia)  * * * * * * * * *  Full box (45 facia)  * * * * * * * *  SeceuroSmart receiver with courtesy light and Safety Edge  Vacation security mode  Internal manual override  External manual override  * * * * * *  Vision slats  Battery backup  * * * * *  Remote control keypad  Key switch operation  * * * * *  Safety photo cell  * * * * * *  * *  * *  * *  * *  *	External installation	*		*		*
Half box (90 facia)	Webbed curtain	•	•		•	
Full box (45 facia)	Endlocked curtain			•		•
SeceuroSmart receiver with courtesy light and Safety Edge  Vacation security mode  Internal manual override  External manual override  **  **  **  **  **  **  **  **  Safety photo cell  **  **  **  **  **  **  **  **  **	Half box (90 facia)	*	*	•		*
courtesy light and Safety Edge  Vacation security mode  Internal manual override  External manual override  *  Vision slats  *  Battery backup  Remote control keypad  *  Key switch operation  *  Safety photo cell  *  *  *  *  *  *  *  *  *  *  *  *	Full box (45 facia)	*	*	*		*
Internal manual override         ● <td></td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td>•</td>		•	•	•		•
External manual override         ★         ★           Vision slats         ★         ★           Battery backup         ★         ★         ★           Remote control keypad         ★         ★         ★           Key switch operation         ★         ★         ★           Safety photo cell         ★         ★         ★	Vacation security mode	•	•	•		
Vision slats         ★           Battery backup         ★         ★         ★           Remote control keypad         ★         ★           Key switch operation         ★         ★         ★           Safety photo cell         ★         ★         ★	Internal manual override	•	•	•		•
Battery backup	External manual override	*		*		*
Remote control keypad         ★         ★           Key switch operation         ★         ★         ★           Safety photo cell         ★         ★         ★	Vision slats	*				
Key switch operation ★ ★   Safety photo cell ★ ★	Battery backup	*	*	*		*
Safety photo cell ★ ★ ★ ★	Remote control keypad	*		*		
	Key switch operation	*		*		*
90 db alarm ★ ★ ★	Safety photo cell	*	*	*		*
7	90 db alarm	*	*	*		

● Standard ★ Optional

# Peace-of-Mind Warranties

All SeceuroGlide products are guaranteed against defect of material or workmanship by SWS UK, subject to correct installation, maintenance and operation, for a period of 2 years from the date of purchase.

In addition, Rosewood, Mahogany and Golden Oak Textured Woodgrain finishes carry a limited 10 year guarantee.

The Somfy Motor carries a 5 year guarantee.





The SeceuroGlide Sectional garage door creates a stylish feature that is sure to enhance not only the look of your home but also the security and insulation.

With a variety of designs and finishes available, you are sure to find the right sectional garage door for you.

The sectional design makes the most of your driveway and garage. Vertical operation ensures you can park right up to your door and use your entire driveway. Headroom requirements are minimal with as little as 110 mm needed for our low headroom motorised operation.

The Sectional design is a 40 mm thick insulated steel panel manufactured to the highest specification to ensure you get the most from your garage space. The security features leave your home totally protected and weather seals on all sides provide all-weather protection from wind and rain, ensuring your home is energy efficient, to save you money.

Unlike any other products from other manufacturers, every one of SeceuroGlide Sectional's doors is unique; made to measure to the mm ensuring a perfect fit. Take time choosing your door and our experts will guide you through the process from start to finish. A fully trained local installer will visit your home to discuss your requirements then measure and install your door. By carefully listening to your needs we will find the garage door to perfectly suit your home.

SeceuroGlide Sectional's standard specification is remote controlled electric operation for maximum convenience and ease of use. Your own personal security code and additional options for lighting or operation of blinds, awnings, shutters or gates in your home, make this a unique automation system.

SeceuroGlide sectional doors are powered by Somfy Dexxo motors which is covered by a comprehensive five year manufacturer's warranty.

### **Styles** and Finishes

### Styles

Choose from our range of panel designs, colours & finishes to find the perfect look for your home. Each panel design – Georgian Cassette, Wide Rib or Standard Rib has a unique character ranging from classic to cutting edge.







### Colours

Then consider woodgrain embossed, a natural looking wood texture or the more modern smooth finish. And finally the colour. All panels are available in white or a range of optional RAL colours to suit the look of your home. Alternatively Golden Oak or Rosewood are now available in our ribbed panel designs.



Woodgrain





Finish: Golden Oak Smooth



Finish: Rosewood Smooth



Finish: White Smooth



Finish: Black Woodgrain

A full range of RAL colours are available on all doors in the SeceuroGlide Sectional range.

Please note installation limitations apply for doors with a black finish please consult your installer for more details

#### As good as wood...

Our range of smooth Golden Oak & Rosewood finishes have the appearance of authentic hardwood. A detailed graining process, produces a realistic, natural-looking smooth wood appearance. And the surface won't warp, crack or rot like timber.



### Windows

Incorporating windows into your design will further enhance the style and usability of your garage. Choose from our range of windows to create a door as individual as your home. Windows are available in a range of colours offered in Sunrise, Cross, Square and a Port Hole design. SeceuroGlide Sectional window panels are manufactured out of tough polycarbonate ensuring they can stand up to all weathers. The ultra modern Port Hole design has a stainless steel frame and is single glazed with safety glass.

Timeless:





Classic Style:













### Engineered from the Inside Out...



### Anatomy of SeceuroGlide Sectional.



### Sleek Design

The interior of every door is completed with a white stucco finish and white coated centre hinges giving your door a cleaner finish and style inside and out.



### The Ultimate Space-Saver

The SeceuroGlide Sectional headroom options make this the ideal choice for any garage space.



### **3** Security Built-in

The security & locking system built into the SeceuroGlide Sectional ensures security and peace of mind.



### 4 Fingersafe Joints

Each joint features a finger safe design ensuring that fingers cannot be caught or trapped between the panels, offering complete peace of mind.



### 5 All Weather Shield

Substantial seals reaching 30 mm into the opening at the top, sides and bottom of the door protect against wind and rain and provide an all-weather superior seal for your home. Furthermore, every door is fully wind load tested to 166 km/hr i.e. hurricane force winds.



### **6** Safety First

Double anti spring break devices ensure complete safety.



### Energy Efficient

The 40 mm Polyisocyanurate (PIR) insulated door panels provide an insulation value of 0.51 W/m2k, ensuring your home is energy efficient and saving you money. The panels also reduce noise and provide a sound reduction of RW 25 db.



### 8 Complete Convenience

With smooth automatic operation, your unique security code, in-built courtesy light and optional battery backup.

Optional wireless control of home awnings, shutters and gates.





### Original Thinking SeceuroGlide Sectional

### Q Durability

Mounted to the ceiling of the garage, the motor operates quickly and quietly in even the most arduous of installations the Dexxo Pro is tested over 35,000 cycles.

### Have It Your Way

A comprehensive range of accessories are available to enhance the automation of your garage door. You can select a control most suitable for you from a convenient key-ring transmitter, wall switch or radio keypad.

### Peace of Mind

The motor is fitted with an automatic stop if an obstacle is encountered offering you compete safety and peace of mind.

### **CE** Fully CE Marked

SeceuroGlide Sectional Garage Doors are fully compliant with all European approach directives and product safety standards and are CE marked to demonstrate their compliance.

Learn more about the importance of conformity and CE marking on Page 24.





### Lateral thinking.

The Vertico lateral running door offers a unique and stylish solution for any garage design, making the most of your garage space and creating a design feature for your home.

Vertico is made from aluminium foam filled slats which link together to ensure exceptionally smooth operation and insulation. This makes the Vertico an ideal choice for heated garages and workshops. The vertical design offers partial opening ensuring minimal heat-loss and provides a convenient solution for pedestrian or bicycle access.

The neat design only requires a very small amount of headroom. Vertico is fitted with a motor, radio remote control and obstacle detection device offering the ultimate in convenience and safety.

Vertico is available in 14 stylish colours as standard (see page 10), is made to measure and is installed by trained garage door specialists. Vertico offers you a stylish and bespoke solution of the highest quality, perfectly made to suit your home.













## **Vertico** Technical and Accessories

### Technical Overview

- Attractive vertical pattern
- Complete aluminium garage door with galvanised steel bottom track
- Custom-made to the millimetre
- Space requirement in the lintel area can be minimised to 50 mm
- Only 130 mm is required for the corner radius return
- 14 standard colour finishes
- Max opening width of 5620 mm
- Max opening height 2900 mm
- Bottom track only 25 mm high
- Radio remote control and motor unit as standard with integrated obstacle detection
- Emergency unlocking from inside as standard
- Optional manual operation with key locking
- Partial opening provides a convenient solution for bicycle and pedestrian access
- Near silent operation
- High strength due to vertical profiles
- Certified by TUV (Technical Inspection Authorities), produced according to DIN-EN safety standards
- Fully CE Marked

### Accessories

- External emergency release access your garage even during a power cut
- Additional hand transmitters
- Surface or flush mounted key-operated switch with system plug – no wiring involved!
- Interior push-button
- Textured woodgrain finish
- Numeric security code keypad in a metal finish

### **Other** Products You Might Like



Make the most of outdoor living whatever the weather with a stylish awning offering shade and shelter. Available in a variety of designs and fabrics and with a choice of mounting brackets and operations, you can choose an awning that complements your home perfectly.

The Lakeland range encompasses 5 stylish designs from semi to full casette and in a range of colours to suit a variety of applications. There is a wide selection of exquisite fabrics to choose from, each specially treated and tested. Awnings can be manually or electrically operated and comfort can be enhanced through a range of Somfy sun and wind sensors.

With a 5 year guarantee, you can be sure that your Lakeland awning will be a lasting and valuable addition to your home providing years of protection and enjoyment.



The Piazza Patio roof is ideal for those looking for a permanent and stylish cover for their patio or garden allowing you to make the most of outdoor living.

Made from extruded aluminium with a durable polycarbonate or high quality safety glass roof, the Piazza Patio Roof spans a maximum width of 7000 mm with a maximum panel length of 3500 mm. You can choose from a wide range of high quality paint finishes including anthracite grey, white, brown and green with additional colours available at a surcharge. With such a wide choice, you are sure to find a look perfect to suit your outside space.



Improving your domestic security needn't mean turning your home into a fortress. The Seceuro range of made-to-measure physical security has been specifically developed to provide an attractive, effective answer to the growing need for protection from vandalism and burglary.

The range (including shutters, retractable gate and removable window bars) has been engineered to allow simple integration with any building; bolstering security and deterring would-be intruders.







www.samsondoors.co.uk

### **Your** Garage Door Checklist

Remember, only SeceuroGlide offers all of the following:

#### ✓ A name you can trust

When buying a SeceuroGlide door you can be reassured by the values behind the name. Every SeceuroGlide door is CE marked and SWS UK is an ISO 9001:2000 assessed company. SWS UK is a subsidiary of CRH plc, a UK FTSE100 company.

#### ✓ A perfect fit

With every door made to measure exactly to the mm, SeceuroGlide garage doors are the truly bespoke choice for your garage.

#### ✓ Manufactured in the UK

Using the latest machinery and equipment, all SeceuroGlide doors are proudly manufactured and assembled in the UK.

#### ✓ A solution for everyone

With so much choice SeceuroGlide doors can accommodate almost every garage. Whether you have limited headroom, require manual operation or are looking for tried and tested security, there is a SeceuroGlide door that's right for you.

#### ✓ Engineered to perfection

Through continuous development and specialist engineering, SeceuroGlide doors offer unrivalled quality and the most advanced garage door specifications.

### The importance of conformity and CE marking

It is against the law to install a power operated garage door in the UK without complying with The Machinery Directive.

To comply with the Machinery Directive both the door and the motor and controller used in the installation must have a **Declaration of Incorporation** from the manufacturer.

On completion of the installation the installer must provide a **Declaration of Conformity** and apply a CE mark giving details of the installation to the door / motor and controller combination, which is now classed as a machine.

The installer must issue to the customer a Declaration of Conformity, maintenance and operation instructions on the completion of the installation.

The installer must hold copies of both the Declaration of Incorporation and the Declaration of Conformity on a technical file for inspection by the relevant authorities.

If any of the above requirements are not fulfilled the Installation is illegal.

Please ensure for your own safety and peace of mind that whoever installs your electric motor and controller is both willing and able to fulfil these requirements; if they are not – do not use them.

As a member of the DHF Garage Door Installer Group we CAN and WILL install your motor and controller safely and legally.

### **Peace-of-Mind** Warranties

All SeceuroGlide products are guaranteed against defect of material or workmanship by SWS UK, subject to correct installation, maintenance and operation, for a period of 2 years from the date of purchase. The Somfy Motor carries a 5 year guarantee.

In addition, Rosewood, Mahogany and Golden Oak Textured Woodgrain finishes carry a limited 10 year guarantee.

